

Accreditation Identification	JNLA Z80116JP Testing
Name of Conformity Assessment Body	TOKYO LABORATORY, KAKEN TEST CENTER
Japan Corporate Number	8010005016628
Contact Details	Dept./Div. : TOKYO Laboratories TEL : +81-48-258-3277 E-mail : - URL : https://en.kaken.or.jp



International Accreditation Japan

Information on Accredited Testing Laboratory

Date of the update of the information : 2026-04-01

Accreditation Identification: JNLA Z80116JP Testing
Name of Testing Laboratory: TOKYO LABORATORY,
KAKEN TEST CENTER
Location of Testing Laboratory: 1-7-22, Saiwai-cho, Kawaguchi-shi, Saitama,
332-0016, JAPAN
Name of Legal Entity: KAKEN TEST CENTER
Conformance Accreditation Standard: ISO/IEC 17025:2017
Expiry Date of Accreditation: 2029-12-07

Name of Laboratory : TOKYO LABORATORY, KAKEN TEST CENTER
 Address : 1-7-22, Saiwai-cho, Kawaguchi-shi, Saitama, 332-0016, JAPAN
 Conformity Assessment : Testing, Reporting of Result and Management System Operation (All Accreditation Scope)
 Activities

<Scope of Accreditation>

Effective Date of Accreditation: 2025-12-08					
Scope of Accreditation	Materials or Products Tested	Test Type (Testing Method(s))	Component, Parameter or Characteristic Tested	Number(s) of JIS, clause and sub-clause	Notice
Textile	Textile Products	Tests for color fastness to light, light and perspiration, weathering	Color fastness	Testing Method Standard(s) JIS L 0842 8.3 c)	-
				Quotation Standard(s) JIS C 9216 8.11 (2) JIS L 2101 6.11.4 JIS L 2511 6.10.4 JIS L 2512 6.10.4 JIS L 2513 6.10.4 JIS L 4107 7.2 a) (limited to JIS L 0842 7.2) JIS L 4212 6.2.1 JIS L 4403 7.2.1	-
		Tests for color fastness to washing and laundering, dry cleaning and bleaching with hypochlorite	Color fastness	Testing Method Standard(s) JIS L 0844 7.1 (limited to A-1, A-2 and A-4)	-
				Quotation Standard(s) JIS L 2101 6.11.1 and 6.11.2 JIS L 2310 6.9.1 and 6.9.2 JIS L 2403 5.11.1 JIS L 2510 6.9.1 and 6.9.2 JIS L 2511 6.10.1 and 6.10.2 JIS L 2512 6.10.1 and 6.10.2 JIS L 2513 6.10.1 and 6.10.2 JIS L 4105 7.1.1 JIS L 4107 Appendix2 4.2.1 JIS L 4212 6.2.2 JIS L 4403 7.2.2	-
		Tests for color fastness to perspiration, water, sea water and transfer of dye	Color fastness	Testing Method Standard(s) JIS L 0848	-
				Quotation Standard(s) JIS L 4107 7.2 c) and Appendix2 4.2.2 JIS L 4212 6.2.3	-
		Test for tensile strength of textiles	Physical property	Testing Method Standard(s) JIS L 1013 8.5 JIS L 1095 9.5 JIS L 1096 8.14.1 a) and 8.14.1 b)	-
				Quotation Standard(s) JIS L 2101 6.6 JIS L 2310 6.5 JIS L 2403 5.6 JIS L 2510 6.5 JIS L 2511 6.6 JIS L 2512 6.6 JIS L 2513 6.6 JIS L 4107 7.4.2 e) and Appendix2 4.3	-
		Test for dimensional change of textiles	Shrinkage performance	Testing Method Standard(s) JIS L 1096 8.39.5 a) 2), 8.39.5 a) 3) and 8.39.5 a) 4) JIS L 1909	-
				Quotation Standard(s) JIS L 4105 7.2 JIS L 4107 7.3 and Appendix2 4.1	-

Scope of Accreditation	Materials or Products Tested	Test Type (Testing Method(s))	Component, Parameter or Characteristic Tested	Number(s) of JIS, clause and sub-clause	Notice
cont.	cont.	cont.	cont.	JIS L 4131 6.1.4 JIS L 4212 6.3 JIS L 4403 7.1	
		Test for color fastness to rubbing	Color fastness	Testing Method Standard(s) JIS L 0849 9.2 a) and 9.2 b)	-
				Quotation Standard(s) JIS C 9216 8.11 (1) JIS L 2101 6.11.3 JIS L 2310 6.9.4 JIS L 2403 5.11.2 JIS L 2510 6.9.3 JIS L 2511 6.10.3 JIS L 2512 6.10.3 JIS L 2513 6.10.3 JIS L 4105 7.1.2 JIS L 4107 7.2 d) and Appendix2 4.2.3 JIS L 4403 7.2.3	-
		Test for bursting strength of textiles	Physical property	Testing Method Standard(s) JIS L 1096 8.18.1	-
				Quotation Standard(s) JIS L 4107 7.4.2 a) JIS L 4131 6.1.3	-
		Textiles-Methods for determination of certain aromatic amines derived from azo colorants	Detection of azo colorants	Testing Method Standard(s) JIS L 1940-1 JIS L 1940-3	-
Antibacterial and Antiviral Activity	Antibacterial and Antiviral Products	Antibacterial Test	Antimicrobial Activity Value	Testing Method Standard(s) JIS L 1902 8.1 (except for 8.1.4.5.3) JIS Z 2801 5	-
		Antiviral Test of Textile Products	Antiviral Activity Value	Testing Method Standard(s) JIS L 1922 13.1	*

*The viruses to be tested are limited to those that can be handled in BSL2 facilities.

Remarks: The latest scope of accreditation that are published on the official gazette,IAJapan web site and so on are applied to the detail of scope of accreditation.

(End of Certificate)