

Accreditation Identification	JNLA Z90121JP Testing
Name of Conformity Assessment Body	East Branch Office, Japan Paint Inspection and Testing Association (JPIA)
Japan Corporate Number	3011005003587
Contact Details	Dept./Div. : same as above TEL : +81-466-27-1121 E-mail : east@jpia.or.jp URL : https://www.jpia.or.jp/



International Accreditation Japan

Information on Accredited Testing Laboratory

Date of the update of the information : 2026-04-01

Accreditation Identification: JNLA Z90121JP Testing

Name of Testing Laboratory: East Branch Office,
Japan Paint Inspection and Testing Association

Location of Testing Laboratory: 636-3, Miyamae, Fujisawa-shi, Kanagawa,
251-0014, JAPAN

Name of Legal Entity: Japan Paint Inspection and Testing Association

Conformance Accreditation Standard: ISO/IEC 17025:2017

Expiry Date of Accreditation: 2029-06-28

Name of Laboratory: East Branch Office, Japan Paint Inspection and Testing Association
 Address: 636-3, Miyamae, Fujisawa-shi, Kanagawa, 251-0014, JAPAN
 Conformity Assessment Activity: Testing (Expect for partial outdoor exposure weathering testing) and Report of testing

Name of Office: Japan Weathering Test Center
 Address: 1034-1, Shincho, Choshi-Shi, Chiba, 288-0825, JAPAN
 Conformity Assessment Activity: Conducting outdoor exposure weathering testing

<Scope of Accreditation>

Effective Date of Accreditation: 2025-06-29					
Scope of Accreditation	Materials or Products Tested	Test Type (Testing Method(s))	Component, Parameter or Characteristic Tested	Number(s) of JIS, clause and sub-clause	Notices
Civil Engineering and Architecture	Building Materials	Strength testing of concrete and cement	Compressive strength etc	Testing Method Standard(s) JIS R 5201 11	-
				Quotation Standard(s) JIS A 6916 7.11 and 7.12	-
		Shape, size testing	Length change rate etc	Testing Method Standard(s) JIS A 1129-3	-
				Quotation Standard(s) JIS A 6916 7.16	-
		Testing for cement or admixtures	Flow value	Testing Method Standard(s) JIS R 5201 12	-
				Quotation Standard(s) JIS A 6909 7.8 JIS A 6916 7.7	-
		Testing of construction coating	Adhesion strength etc, Coating property etc and Degree of chalking	Testing Method Standard(s) JIS A 6909 7.6, 7.7, 7.9, 7.10, 7.11, 7.12, 7.13, 7.14, 7.15, 7.16, 7.17, 7.20, 7.22, 7.23, 7.25, 7.26, 7.27, 7.28, 7.29 and 7.30 JIS A 6916 7.6, 7.8, 7.9, 7.10, 7.13, 7.14, 7.15, 7.17, 7.18 and Appendix A A.2.3 JIS K 5600-8-6	-
		Constructional liquid applied membrane waterproofing material	Tensile strength Elongation etc	Testing Method Standard(s) JIS A 6021 7.6, 7.7, 7.8, 7.9, 7.10, 7.11, 7.12 and 7.13 (limited to 7.10.3 a) and b))	-
		Anti-corrosion spray testing	Maximum rust and swelling breadth etc	Testing Method Standard(s) JIS K 5551 7.17 JIS K 5600-7-1 JIS K 5621 7.12 JIS K 5674 7.12	-
				Quotation Standard(s) JIS K 5552 6.10 JIS K 5553 6.10 JIS K 5651 7.25	-
Chemical Goods	Chemical Products	Accelerated weathering test	Grayscale, Gross retention, Degree of chalking, Color difference, Gross retention and Degree of chalking etc	Testing Method Standard(s) JIS A 6909 7.18 and 7.19 JIS K 5600-7-7 JIS K 5600-7-8	-
				Quotation Standard(s) JIS K 5492 6.14 JIS K 5516 7.15 JIS K 5572 7.21 JIS K 5651 7.28 JIS K 5658 7.16 JIS K 5659 7.20 JIS K 5660 7.15 JIS K 5663 7.13 JIS K 5668 7.15 JIS K 5670 6.12 JIS K 5675 7.14 JIS K 5962 7.13	-

Scope of Accreditation	Materials or Products Tested	Test Type (Testing Method(s))	Component, Parameter or Characteristic Tested	Number(s) of JIS, clause and sub-clause	Notes
(continued)	(continued)	Weathering testing	Gross retention Degree of chalking etc	Testing Method Standard(s) JIS K 5600-7-6	-
				Quotation Standard(s) JIS K 5492 6.15 JIS K 5516 7.16 JIS K 5551 7.20 JIS K 5552 6.14 JIS K 5553 6.15 JIS K 5572 7.22 JIS K 5621 7.14 JIS K 5633 7.18 JIS K 5651 7.29 JIS K 5658 7.17 JIS K 5659 7.21 JIS K 5660 7.16 JIS K 5663 7.14 JIS K 5665 8.26 JIS K 5667 7.12 JIS K 5668 7.16 JIS K 5674 7.16 JIS K 5675 7.16 and AppendixB JIS K 5962 7.14	-
		Infrared spectroscopic analysis	Infrared absorption spectrum	Testing Method Standard(s) JIS K 0117 5.2 a)	-
		Coating property testing	Color number etc, Appearance, Color number, Viscosity, Density etc, Dispersity and Pot life	Testing Method Standard(s) JIS K 5421 5.4 and 5.7 JIS K 5531 7.7 JIS K 5562 6.4 JIS K 5600-1-1 4.1 JIS K 5600-2-1 JIS K 5600-2-2 JIS K 5600-2-4 JIS K 5600-2-5 JIS K 5600-2-6 JIS K 5651 7.5 JIS K 5665 8.6.2, 8.9 and 8.25	-
				Quotation Standard(s) JIS K 5421 5.5 and 5.6 JIS K 5492 6.4 and 6.5 JIS K 5511 7.4 and 7.5 JIS K 5516 7.4 JIS K 5531 7.4, 7.5 and 7.6 JIS K 5533 7.4 JIS K 5535 7.4 JIS K 5551 7.4 and 7.9 JIS K 5552 6.4 and 6.8 JIS K 5553 6.4 and 6.7 JIS K 5562 6.5 JIS K 5572 7.4 JIS K 5591 7.4 JIS K 5621 7.4 JIS K 5633 7.4, 7.5 and 7.6 JIS K 5651 7.4 and 7.6 JIS K 5658 7.4 and 7.7 JIS K 5659 7.4 and 7.8 JIS K 5660 7.4 JIS K 5663 7.4 and Appendix4.4 JIS K 5665 8.5, 8.6 and 8.7 JIS K 5667 7.4 JIS K 5668 7.5	-

Scope of Accreditation	Materials or Products Tested	Test Type (Testing Method(s))	Component, Parameter or Characteristic Tested	Number(s) of JIS, clause and sub-clause	Notes
(continued)	(continued)	(continued)	(continued)	JIS K 5669 7.4 JIS K 5670 6.5 and 7.4 JIS K 5674 7.4 JIS K 5675 7.4 JIS K 5960 7.4 JIS K 5962 7.4 JIS K 5970 7.4	
		Long-term durability testing of coating	Degree of promoted yellowness etc, Color, Appearance and Gross retention etc	Testing Method Standard(s) JIS K 5421 5.10 JIS K 5511 7.10 and 7.14 JIS K 5516 7.9 JIS K 5572 AppendixC JIS K 5600-7-2 5. JIS K 5600-7-4 JIS K 5621 7.11 JIS K 5674 7.11	-
				Quotation Standard(s) JIS K 5511 7.18 JIS K 5572 7.10 JIS K 5651 7.10 and 7.22 JIS K 5658 7.15 JIS K 5659 7.18 JIS K 5660 7.14 JIS K 5667 7.8 JIS K 5675 7.13 JIS K 5960 7.15	-
		Component testing of coating	Heating residue etc, White pigment value, Metallic zinc in non-volatile matter content etc, Solvent insoluble matter etc, Chlorine, Acid value, Contents of phthalic anhydride, Lead and Density	Testing Method Standard(s) JIS K 5421 5.11, 5.13, 5.14 and 5.15 JIS K 5511 7.17 JIS K 5552 AppendixA and AppendixB JIS K 5553 AppendixA and AppendixB JIS K 5601-1-2 JIS K 5601-2-1 JIS K 5601-2-4 AppendixA JIS K 5633 7.16, Appendix1, Appendix2, Appendix3 and JIS Z 8807 8	-
				Quotation Standard(s) JIS A 6021 7.14 JIS A 5421 5.12 JIS K 5492 6.13 JIS K 5511 7.15 JIS K 5516 7.13 JIS K 5531 7.19 JIS K 5533 7.11 JIS K 5535 7.14 JIS K 5552 6.11 and 6.12 JIS K 5553 6.12 and 6.13 JIS K 5562 6.14 and 6.15 JIS K 5572 7.18 JIS K 5591 7.15 JIS K 5621 7.13 JIS K 5633 7.13 JIS K 5651 7.26 JIS K 5659 7.19 JIS K 5665 8.22 JIS K 5669 7.11 JIS K 5674 7.13 JIS K 5961 6.15	-

Scope of Accreditation	Materials or Products Tested	Test Type (Testing Method(s))	Component, Parameter or Characteristic Tested	Number(s) of JIS, clause and sub-clause	Notes
(continued)	(continued)	Visual characteristic testing of coating film	Diffuse Reflectance etc, Discoloration, Appearance, Contrast ratio, Colorimetry, Specular glossiness and Reflectance of solar radiation	Testing Method Standard(s) JIS K 5511 7.9, 7.11 and 7.13 JIS K 5531 7.14 JIS K 5535 7.10 JIS K 5553 6.9 JIS K 5572 7.8 and 7.12 JIS K 5591 7.11 JIS K 5600-1-1 4.4 JIS K 5600-4-1 JIS K 5600-4-4 JIS K 5600-4-5 JIS K 5600-4-7 JIS K 5602 JIS K 5651 7.13 JIS K 5665 8.10, 8.15, 8.16 and 8.17 JIS K 5675 7.8	-
				Quotation Standard(s) JIS K 5421 5.9 JIS K 5492 6.8, 6.9 and 6.10 JIS K 5511 7.8 and 7.12 JIS K 5516 7.7, 7.8 and 7.10 JIS K 5531 7.10, 7.11 and 7.12 JIS K 5533 7.7 JIS K 5535 7.7 JIS K 5551 7.8 JIS K 5552 6.7 JIS K 5553 6.6 JIS K 5562 6.9 JIS K 5572 7.9 and 7.11 JIS K 5591 7.8 JIS K 5621 7.8 JIS K 5633 7.9 JIS K 5651 7.9 and 7.11 JIS K 5658 7.6, 7.8 and 7.9 JIS K 5659 7.7, 7.9 and 7.10 JIS K 5660 7.9 and 7.10 JIS K 5663 7.8, 7.9 and Appendix4.6 JIS K 5665 8.14 JIS K 5667 7.7 JIS K 5668 7.9 JIS K 5670 6.7 and 6.9 JIS K 5674 7.8 JIS K 5675 7.7 and 7.10 JIS K 5960 7.9 and 7.12 JIS K 5961 6.7 JIS K 5962 7.8, 7.10 and 7.11 JIS K 5970 7.6	-
		Resistance testing of coating film	Appearance, Mandrel diameter, Pencil hardness, Load, Adhesion, Adhesion strength, Abrasion loss and Viscosity etc	Testing Method Standard(s) JIS K 5531 7.13 and 7.17 JIS K 5562 6.11 JIS K 5572 7.13 JIS K 5600-5-1 JIS K 5600-5-3 JIS K 5600-5-4 JIS K 5600-5-5 JIS K 5600-5-6 JIS K 5600-5-7 JIS K 5600-5-8 JIS K 5600-5-9 JIS K 5600-5-10 JIS K 5600-5-11 JIS K 5600-6-1	-

Scope of Accreditation	Materials or Products Tested	Test Type (Testing Method(s))	Component, Parameter or Characteristic Tested	Number(s) of JIS, clause and sub-clause	Notes
(continued)	(continued)	(continued)	(continued)	JIS K 5600-6-2 JIS K 5600-6-3 JIS K 5651 7.18 and 7.23 JIS K 5658 7.10, 7.13 and 7.14 JIS K 5659 7.14 JIS K 5660 7.13 JIS K 5665 8.8, 8.19, 8.23 and 8.24 JIS K 5668 7.13 JIS K 5675 7.9 and 7.11 JIS K 5961 6.12, 6.13 and 6.16 JIS K 5970 7.9 and 7.11	
				Quotation Standard(s) JIS K 5492 6.11 and 6.12 JIS K 5516 7.14 JIS K 5531 7.15, 7.16 and 7.18 JIS K 5533 7.10 JIS K 5535 7.11,1, 7.11.2, 7.12 and 7.13 JIS K 5551 7.12, 7.13, 7.14, 7.15 and 7.16 JIS K 5552 6.9 JIS K 5553 6.8 and 6.11 JIS K 5562 6.10, 6.12 and 6.13 JIS K 5572 7.14, 7.15, 7.16 and 7.17 JIS K 5591 7.12.1, 7.12.2, 7.13 and 7.14 JIS K 5621 7.10 JIS K 5633 7.10, 7.11 and 7.12 JIS K 5651 7.14, 7.15, 7.16, 7.17, 7.19, 7.20, 7.21 and 7.24 JIS K 5658 7.11 JIS K 5659 7.12, 7.13, 7.15, 7.16 and 7.17 JIS K 5660 7.11 and 7.12 JIS K 5663 7.10, 7.11, 7.12, Appendix 4.11 and Appendix 4.12 JIS K 5665 8.18, 8.20 and 8.21 JIS K 5667 7.9, 7.10 and 7.11 JIS K 5668 7.10, 7.11 and 7.12 JIS K 5669 7.9, 7.10 and 7.11 JIS K 5670 6.10 and 6.11 JIS K 5674 7.10 JIS K 5675 7.9.2, 7.12 and 7.15 JIS K 5960 7.13, 7.14 and 7.16 JIS K 5961 6.10, 6.11 and 6.14 JIS K 5970 7.8 and 7.10	-
		Functional testing of paint film formation	Appearance, Painting time and Drying time,	Testing Method Standard(s) JIS K 5533 7.8 and 7.9 JIS K 5535 7.8 JIS K 5551 7.7, 7.10 and 7.11 JIS K 5572 7.7 JIS K 5591 7.9 JIS K 5600-1-1 4.2 and 4.3 JIS K 5600-3-1 JIS K 5600-3-2 JIS K 5600-3-3 JIS K 5600-3-4 JIS K 5600-3-6 JIS K 5621 7.9 JIS K 5651 7.12 JIS K 5658 7.12 JIS K 5659 7.11 JIS K 5665 8.13 JIS K 5668 7.14 JIS K 5669 7.5, 7.7 and 7.8	-

Scope of Accreditation	Materials or Products Tested	Test Type (Testing Method(s))	Component, Parameter or Characteristic Tested	Number(s) of JIS, clause and sub-clause	Notes
(continued)	(continued)	(continued)	(continued)	JIS K 5674 7.6 and 7.9 Quotation Standard(s) JIS K 5421 5.8 JIS K 5492 6.6 and 6.7 JIS K 5511 7.6 and 7.7 JIS K 5516 7.5, 7.6, 7.11 and 7.12 JIS K 5531 7.8 and 7.9 JIS K 5533 7.5 and 7.6 JIS K 5535 7.5, 7.6 and 7.9 JIS K 5551 7.6 JIS K 5552 6.5 and 6.6 JIS K 5553 6.5 JIS K 5562 6.7 and 6.8 JIS K 5572 7.5 and 7.6 JIS K 5591 7.6, 7.7 and 7.10 JIS K 5621 7.6 and 7.7 JIS K 5633 7.7 and 7.8 JIS K 5651 7.7 and 7.8 JIS K 5658 7.5 JIS K 5660 7.5 and 7.8 JIS K 5663 7.5, 7.7, Appendix4.5, Appendix4.9 and JIS K 5665 8.11 JIS K 5667 7.5 and 7.6 JIS K 5668 7.6 and 7.8 JIS K 5669 7.6 JIS K 5670 6.6 and 6.8 JIS K 5674 7.7 JIS K 5675 7.5 JIS K 5960 7.5, 7.8, 7.10 and 7.11 JIS K 5961 6.4, 6.6, 6.8 and 6.9 JIS K 5962 7.5, 7.7, 7.9 and 7.12 JIS K 5674 7.8	-
		Stability testing of coating storage	Condition in container, Viscosity etc and Appearance	Testing Method Standard(s) JIS K 5562 6.6 JIS K 5591 7.5 JIS K 5600-2-7 4., 5. and 7. JIS K 5669 7.13	-
				Quotation Standard(s) JIS K 5551 7.5 JIS K 5591 7.16 JIS K 5621 7.5 JIS K 5651 7.27 JIS K 5659 7.5 JIS K 5660 7.7 JIS K 5663 7.6 and Appendix4.8 JIS K 5665 8.12 JIS K 5668 7.7 JIS K 5674 7.5 JIS K 5675 7.6 JIS K 5960 7.6 and 7.7 JIS K 5961 6.5 JIS K 5962 7.6	-

Remarks: The latest scope of accreditation that are published on the official gazetta, IAJapan web site and so on are applied to the detail of scope of accreditation.

(End of Certificate)