



International Accreditation Japan

Information on Accredited Testing Laboratory

Date of the update of the information : 2026-04-01

Accreditation Identification: ASNITE 0101 Testing

Name of Testing Laboratory: Environment Analysis Center of Niigata Prefecture

Location of Testing Laboratory: 53-1, Ojigoya, Kounan-ku, Niigata-shi, Niigata,
950-1144, Japan

Name of Legal Entity: Environment Analysis Center of Niigata Prefecture

Conformance Accreditation Standard: ISO/IEC 17025:2017

Expiry Date of Accreditation: 2028-04-23

Name of Laboratory: Environmental Analysis Center of Niigata Prefecture
 Address of Laboratory: 53-1, Ojigoya, Kounan-ku, Niigata-shi, Niigata, 950-1144, JAPAN
 Work to carry out: Control of management system, Service to the customer, Review of requests, Sampling, Sample storage, Analytical test, Ensuring the validity of results, Reporting of results

Accreditation Scope			Testing Items	Test Methods	Effective Date of Accreditation
Category	Sub-Category	Measurement Techniques			
Environment	Air	GC/MS	Dioxins and Dioxin-like PCBs/Exhaust Gas (include sampling)	PMO Ordinance No. 67:1999 (Revised to MOE Ordinance No. 5:2010) JIS K 0311	2024-04-24
			Dioxins and Dioxin-like PCBs/Ambient Air (include sampling)	Manual on Determination of Dioxins in Ambient Air (MOE:2022)	2024-04-24
	Water	GC/MS	Dioxins and Dioxin-like PCBs/Industrial Wastewater (include sampling)	PMO Ordinance No. 67:1999 (Revised to MOE Ordinance No. 5:2010) JIS K 0312	2024-04-24
			Dioxins and Dioxin-like PCBs/Environmental Water (include sampling)	EA Notification No. 68:1999 (Revised to MOE Notification No. 11:2009) JIS K 0312	2024-04-24
			Dioxins and Dioxin-like PCBs/Sediment (include sampling)	Manual for the Survey and Measurement of Dioxins in Sediment (MOE:2022)	2024-04-24
	Soil	GC/MS	Dioxins and Dioxin-like PCBs/Soil (include sampling)	Manual for the Survey and Measurement of Dioxins in Soil (MOE:2022)	2024-04-24

[NOTE]

PMO: the Prime Minister's Office

EA: Environment Agency

MOE: Ministry of the Environment

(End of Attachment)