

Accreditation Identification	JNLA Z90122JP Testing
Name of Conformity Assessment Body	Tokai Laboratories, KAKEN TEST CENTER
Japan Corporate Number	8010005016628
Contact Details	Dept./Div. : - TEL : +81-586-28-8123 E-mail : - URL : https://en.kaken.or.jp/



International Accreditation Japan

Information on Accredited Testing Laboratory

Date of the update of the information : 2026-04-01

Accreditation Identification: JNLA Z90122JP Testing
Name of Testing Laboratory: Tokai Laboratories,
KAKEN TEST CENTER
Location of Testing Laboratory: 1-1-13, Matsufuri, Ichinomiya-shi, Aichi,
491-0042, JAPAN
Name of Legal Entity: KAKEN TEST CENTER
Conformance Accreditation Standard: ISO/IEC 17025:2017
Expiry Date of Accreditation: 2026-04-16

Name of Laboratory: Tokai Laboratories, KAKEN TEST CENTER
 Address: 1-1-13, Matsufuri, Ichinomiya-shi, Aichi, 491-0042, JAPAN
 Conformity Assessment Activity: Testing, Reporting of Result and Management Requirement Operation(All Accreditation Scope)

<Scope of Accreditation>

Effective Date of Accreditation: 2022-04-17					
Scope of Accreditation	Materials or Products Tested	Test Type (Testing Method(s))	Component, Parameter or Characteristic Tested	Number(s) of JIS, clause and sub-clause	No-tices
Textile	Textile Products	Tests for colour fastness to light, light and perspiration, weathering	colour fastness	Testing Method Standard(s) JIS L 0842 8.3 c)	-
				Quotation Standard(s) JIS C 9216 8.11 (2) JIS L 2101 6.11.4 JIS L 2511 6.10.4 JIS L 2512 6.10.4 JIS L 2513 6.10.4 JIS L 4107 7.2 a) (Limited to JIS L 0842) JIS L 4212 6.2.1 JIS L 4403 7.2.1	-
		Tests for colour fastness to washing and laundering, dry cleaning and bleaching with hypochlorite	colour fastness	Testing Method Standard(s) JIS L 0844 7.1 (Limited to A-1, A-2, and A-3) and 7.2 (Limited to B-1, B-2, B-3, B-4, B-5, and B-6)	-
				Quotation Standard(s) JIS L 2101 6.11.1 JIS L 2310 6.9.1 JIS L 2403 5.11.1 JIS L 2510 6.9.1 JIS L 2511 6.10.1 JIS L 2512 6.10.1 JIS L 2513 6.10.1 JIS L 4105 7.1.1 JIS L 4107 Appendix2 4.2.1 JIS L 4212 6.2.2 JIS L 4403 7.2.2	-
		Tests for colour fastness to perspiration, water, sea water and transfer of dye	colour fastness	Testing Method Standard(s) JIS L 0848	-
				Quotation Standard(s) JIS L 4107 7.2 c) and Appendix2 4.2.2 JIS L 4212 6.2.3	-
		Test for tensile strength of textiles	physical property	Testing Method Standard(s) JIS L 1013 8.5 JIS L 1095 9.5 JIS L 1096 8.14.1 a)	-
				Quotation Standard(s) JIS L 2101 6.6 JIS L 2310 6.5 JIS L 2403 5.6 JIS L 2510 6.5 JIS L 2511 6.6 JIS L 2512 6.6 JIS L 2513 6.6 JIS L 4107 7.4.2 e) and Appendix2 4.3	-
		Test for dimensional change of textiles	shrinkage performance	Testing Method Standard(s) JIS L 1096 8.39.5 a) 3) and 8.39.5 a) 4)	-
				Quotation Standard(s) JIS L 4105 7.2 JIS L 4107 7.3 and Appendix2 4.1 JIS L 4131 6.1.4 JIS L 4212 6.3 JIS L 4403 7.1	-

Scope of Accreditation	Materials or Products Tested	Test Type (Testing Method(s))	Component, Parameter or Characteristic Tested	Number(s) of JIS, clause and sub-clause	No-tices
(continued)	(continued)	Tests for fiber identification, quantitative analysis of fiber mixtures of textile	composition	Testing Method Standard(s) JIS L 1030-1 JIS L 1030-2-1 JIS L 1030-2-2 JIS L 1030-2-3 JIS L 1030-2-5 JIS L 1030-2-6 (except for 9.2)	-
	Quotation Standard(s) JIS L 2511 6.11 JIS L 2512 6.11 JIS L 2513 6.11 JIS L 4105 7.8 JIS L 4131 6.2.1			-	
		Test for colour fastness to rubbing	colour fastness	Testing Method Standard(s) JIS L 0849 9.2	-
				Quotation Standard(s) JIS C 9216 8.11 (1) JIS L 2101 6.11.3 JIS L 2310 6.9.4 JIS L 2403 5.11.2 JIS L 2510 6.9.3 JIS L 2511 6.10.3 JIS L 2512 6.10.3 JIS L 2513 6.10.3 JIS L 4105 7.1.2 JIS L 4107 7.2 d) and Appendix2 4.2.3 JIS L 4403 7.2.3	-
		Test for bursting strength of textiles	physical property	Testing Method Standard(s) JIS L 1096 8.18.1	-
				Quotation Standard(s) JIS L 4107 7.4.2 a) JIS L 4131 6.1.3	-

Remarks: The latest scope of accreditation that are published on the official gazetta, IAJapan web site and so on are applied to the detail of scope of accreditation.

(End of Certificate)